



Cryogenics

Index to Volume 44 (2004)

No. 1 (January) pp 1–74
No. 2 (February) pp 75–144
No. 3 (March) pp 145–216
No. 4 (April) pp 217–286

No. 5 (May) pp 287–364
Nos. 6–8 (June–August) pp 365–602
No. 9 (September) pp 603–680
No. 10 (October) pp 681–762

No. 11 (November) pp 763–846
No. 12 (December) pp 847–910

Number 1/January

Quench detection method without a central voltage tap by calculating active power

N. Nanato and K. Nakamura 1

Development of vapor-cooled HTS-copper 6-kA current lead incorporating operation in the current-sharing mode

H. Lee, H.M. Kim, Y. Iwasa, K. Kim, P. Arakawa and G. Laughon 7

Acoustic emission and disturbances in central solenoid model coil for International Thermonuclear Experimental Reactor

K. Arai, A. Ninomiya, T. Ishigohka, K. Takano, H. Nakajima, P. Michael, R. Vieira, N. Martovetsky, C. Sborchia, A. Alekseev, Y. Takahashi, T. Kato, K. Kaiho, H. Tsuji, K. Okuno, T. Ando, T. Isono, N. Koizumi, K. Hamada, K. Kawano, Y. Nunoya, K. Matsui, G. Nishijima, H. Kubo, Y. Uno, S. Seki, F. Tsutsumi, T. Nakamura and H. Wakabayashi 15

Time resolved nanosecond vortex dynamics in high T_c superconducting films

H. Ferrari, D. Ibaceta, V. Bekeris, E. Calzetta and L. Correra 29

Layer-current waveform of coaxial multi-layer HTS cable considering the flux flow state

Y. Kim, S. Kim, T. Harano, M. Tsuda, N. Harada, T. Hamajima, M. Ono and H. Takano 37

Effect of electromagnetic force on the pressure drop and coupling loss of a cable-in-conduit conductor

K. Hamada, Y. Takahashi, K. Matsui, T. Kato and K. Okuno 45

“Dry” dilution refrigerator with pulse-tube precooling

K. Uhlig 53

Development of density and mass flow rate measurement technologies for slush hydrogen

K. Ohira 59

Comparative test on two kinds of new compliant foil bearing for small cryogenic turbo-expander

Y. Hou, Z.H. Zhu and C.Z. Chen 69

Calendar 73

Number 2/February

Observation and control of temperature instabilities in a four-valve pulse tube refrigerator

A. Waldauf, M. Thürk and P. Seidel 75

Simulation of quench for the cable-in-conduit-conductor in HT-7U superconducting Tokamak magnets using porous medium model

Q. Wang, P. Weng and M. He 81

Concept for thermal insulation arrangement within a flexible cryostat for HTS power cables
H. Neumann 93

Dependence of convective secondary flow on inclination angle in an inclined pulse tube refrigerator revealed by visualization

M. Shiraishi, K. Takamatsu, M. Murakami and A. Nakano 101

Ramp-rate limitation experiment using induced current method. Part 2: analysis

S. Jeong and M. Takayasu 109

Ability of a contactless inductive device for the characterization of the critical current versus temperature in superconducting rings at temperatures close to T_c

H. González-Jorge, D. González-Salgado, J. Peleteiro, E. Carballo and G. Domarco 115

Quench analysis of an ITER 13T-40kA Nb₃Sn coil (CS insert)

T. Inaguchi, M. Hasegawa, N. Koizumi, T. Isono, K. Hamada, M. Sugimoto and Y. Takahashi 121

A numerical method of regenerator
S. Zhu and Y. Matsubara 131

Book review

Parker, David F., *Field Flows and Waves: An Introduction to Continuum Models 2003*

L. Bottura 141

Calendar 143

Number 3/March

Analysis of experimental conditions for simultaneous measurements of transport and magnetotransport coefficients of high temperature superconductors

J. Mucha, S. Dorbolo, H. Bougrine, K. Durczewski and M. Ausloos 145

Reduction of alternating current loss in a high- T_c superconducting transmission cable by means of helical pitch adjustment

H. Noji, S. Ooyama and K. Nakajima 151

Theory to boil-off gas cooled shields for cryogenic storage vessels

A. Hofmann 159

Use of good copper for the optimization of the cooling down procedure of large masses

L. Riseigari, M. Barucci, C. Bucci, V. Fafone, P. Gorla, A. Giuliani, E. Olivieri, E. Pasca, S. Pirro, L. Quintieri, A. Rocchi and G. Ventura 167

Proposal of rectifier type superconducting fault current limiter with non-inductive reactor (SFCL)

K.M. Salim, I. Muta, T. Hoshino, T. Nakamura and M. Yamada 171

Proposal of DC shield reactor type superconducting fault current limiter

I. Muta, T. Hoshino, K.M. Salim, A. Kawasaki, T. Nakamura and M. Yamada 177

Microwave cavity perturbation technique for measurements of the quantum Hall effect

V. Krasovitsky, D. Terasawa, K. Nakada, S. Kozumi, A. Sawada and N. Sato 183

Temperature dependence of ac-losses in multifilamentary Bi-2223 tapes between 4.2 K and T_c

C. Schmidt 187

Investigation of two different types of displacement transducers in the cryogenic environment

M. Milushev, M. Süßer and F. Wüchner 197

Investigation on the pressure drop characteristics of cryocooler regenerators under oscillating flow and pulsating pressure conditions

S. Choi, K. Nam and S. Jeong 203

Short communication

Use of the bare chip CernoxTM thermometer for the detection of second sound in superfluid helium

S. Fuzier and S.W. Van Sciver 211

Calendar 215

Number 4/April

Characteristics of a silicon pressure sensor in superfluid helium pressurized up to 1.5 MPa

M. Maeda, A. Sato, M. Yuyama, M. Kosuge, F. Matsumoto and H. Nagai 217

Development of a liquid-xenon photon detector—towards the search for a muon rare decay mode at Paul Scherrer Institute

S. Mihara, T. Doke, T. Haruyama, K. Kasami, A. Maki, T. Mitsuhashi, T. Mori, H. Nishiguchi, W. Ootani, K. Ozone, R. Sawada, S. Suzuki, K. Terasawa and T. Yoshimura 223

Determination method of equivalent insulation test voltage at room temperature for high temperature superconducting power apparatus with coil structure

M. Hara, T. Kurihara, T. Nishioka, J. Suehiro and H. Okamoto 229

Investigation on vapor-cooled current leads operating in a pulse mode

S. Jeong and S. In 241

The fault current limiting characteristics of a flux-lock type high- T_c superconducting fault current limiter using series resonance

S.-H. Lim, H.-S. Choi and B.-S. Han 249

Encasing of the TVO-sensor for heavy duty installations

M. Süßer 255

A coupled numerical analysis of shield temperatures, heat losses and residual gas pressures in an evacuated super-insulation using thermal and fluid networks. Part I: Stationary conditions

H. Reiss 259

Numerical analysis of two-dimensional steady-state and transient heat transfer in a parallel duct filled with pressurized He II

H. Tatsumoto, K. Hata, K. Hama, Y. Shirai and M. Shiotsu 273

Calendar 285

Number 5/May

A 115 K thermoacoustically driven pulse tube refrigerator with low onset temperature

K. Tang, G.B. Chen and B. Kong 287

Thermal conductance measurements of bolted copper to copper joints at sub-Kelvin temperatures

I. Didschuns, A.L. Woodcraft, D. Bintley and P.C. Hargrave 293

Forced convection of low temperature nitrogen gas in rectangular channels with small aspect ratio

H.L. Mo, Y.X. Zhou, T.Y. Zhu and T.W. Guo 301

Vibration analysis of cryocoolers

T. Tomaru, T. Suzuki, T. Haruyama, T. Shintomi, A. Yamamoto, T. Koyama and R. Li 309

Change of interstrand contact resistance and coupling loss in various prototype ITER NbTi conductors with transverse loading in the Twente Cryogenic Cable Press up to 40,000 cycles

A. Nijhuis, Yu. Ilyin, W. Abbas, B. ten Haken and H.H.J. ten Kate 319

Analysis of current distributions in a multi-laminated HTS tape conductor for solenoid coils

T. Hamajima, N. Harada, M. Tsuda, T. Yazawa and T. Kuriyama 341

Measurements of current distributions in a multi-laminated HTS tape conductor for solenoid coils

T. Hamajima, H. Jifang, N. Harada, M. Tsuda, T. Yazawa and T. Kuriyama 349

Investigation on performances of non-loss storage for cryogenic liquefied gas

Z. Li, L. Xu, H. Sun, Y. Xiao and J. Zhang 357

Calendar 363

Numbers 6-8/June-August

Editorial

2003 Space Cryogenics Workshop, 18-19 September 2003, Girdwood, Alaska

M. Larson and W.A. Holmes 365

The space infrared telescope facility (SIRTF) cryogenic telescope assembly (CTA) cryogenic and thermal system

- P.T. Finley, R.B. Schweickart and R.A. Hopkins* 367
- Development of 1 K-class mechanical cooler for SPICA
K. Narasaki, S. Tsunematsu, K. Ootsuka, N. Watanabe, T. Matsumoto, H. Murakami, T. Nakagawa, H. Sugita, M. Murakami and H. Awazu 375
- A 10 K magnet for space-flight ADRs
J. Tuttle, S. Pourrahimi, P. Shirron, E. Canavan, M. DiPirro and S. Riall 383
- On-orbit performance of the RHESSI cryocooler
R. Boyle 389
- Sorption coolers using a continuous cycle to produce 20 K for the Planck flight mission
P. Bhandari, M. Prina, R.C. Bowman Jr., C. Paine, D. Pearson and A. Nash 395
- Effect of gravity orientation on the thermal performance of Stirling-type pulse tube cryocoolers
R.G. Ross Jr. and D.L. Johnson 403
- Long-life cryocooler performance and production
M.C. Barr, K.D. Price and G.R. Pruitt 409
- Development and testing of an advanced cryogenic thermal switch and cryogenic thermal switch test bed
B. Marland, D. Bugby and C. Stouffer 413
- Estimation of thermal conduction loads for structural supports of cryogenic spacecraft assemblies
R.G. Ross Jr. 421
- Characterization of porous sinter materials as Joule-Thomson restrictors for the Planck sorption cooler
C.G. Paine 425
- Experimental study on thermally actuated pressure wave generator for space cryocooler
H. Sugita, Y. Matsubara, A. Kushino, T. Ohnishi, H. Kobayashi and W. Dai 431
- Low cost and high performance screen laminate regenerator matrix
U. Bin-Nun and D. Manidakos 439
- Low temperature magnetic properties of Metglas 2714A and its potential use as core material for EMI filters
H.P. Quach and T.C.P. Chui 445
- R&D processes for increasing density of cryogenic propellants at FSEC
J.H. Baik and A. T-Raissi 451
- Two-phase flow of solid hydrogen particles and liquid helium
J. Xu, A. Rouelle, K.M. Smith, D. Celik, M.Y. Hussaini and S.W. Van Sciver 459
- Investigation on liquid helium pressurization process using a heater in a liquid propellant rocket
S. In, S. Jeong and H. Kim 467
- Pressure control of large cryogenic tanks in microgravity
C. Pancarella, D. Plachta and M. Kassemi 475
- Thermally optimized zero boil-off densified cryogen storage system for space
M.S. Habersbusch, R.J. Stöchl and A.J. Culler 485
- Two-phase flow characteristics of liquid oxygen flow in low pressure liquid rocket engine
N. Cho, S. Kim, Y. Kim, S. Jeong and J. Jung 493
- Optical mass gauging of solid hydrogen
S.W. Van Sciver, T. Adams, F. Caimi, D. Celik, J. Justak and D. Kocak 501
- Hydrogen particles in liquid helium
J. Xu, K.M. Smith, D. Celik, M.Y. Hussaini and S.W. Van Sciver 507
- An uncertainty analysis of the PVT gauging method applied to sub-critical cryogenic propellant tanks
N.T. Van Dresar 515
- Effect of rotation on sloshing in low-gravity
H.A. Snyder 525
- Thermodynamic performance predictions for the low temperature micro-gravity physics facility
R.B. Schweickart 537
- The X-ray microcalorimeter spectrometer (XMS): a reference cryogenic instrument for Constellation-X
P.L. Whitehouse, P.J. Shirron and R.L. Kelley 543
- AMS-02 cryocooler baseline configuration and EM qualification program
S. Banks, S. Breon and K. Shirey 551
- Continuous cooling from 10 to 4 K using a toroidal ADR
M. DiPirro, E. Canavan, P. Shirron and J. Tuttle 559
- Optimized autonomous operations of a 20 K space hydrogen sorption cryocooler
J. Borders, G. Morgante, M. Prina, D. Pearson and P. Bhandari 565
- Qualifying the Sunpower M87N cryocooler for operation in the AMS-02 magnetic field
S. Mustafi, S. Banks, K. Shirey and S. Breon 575
- Development of a cryogen-free continuous ADR for the constellation-X mission
P. Shirron, E. Canavan, M. DiPirro, J. Francis, M. Jackson, J. Tuttle, T. King and M. Grabowski 581
- Advanced cryocooler electronics for space
D. Harvey, A. Danial, T. Davis, J. Godden, M. Jackson, J. McCuskey and P. Valenzuela 589
- Low-heat input cryogenic temperature control with recuperative heat-exchanger in a Joule Thomson cryocooler
M. Prina, J. Borders, P. Bhandari, G. Morgante, D. Pearson and C. Paine 595
- Number 9/September**
- Critical heat flux on a flat plate heater located at the middle of a duct in forced flow of pressurized He II
T. Okamura, M. Saeki, K. Hata, K. Hama, Y. Shirai and M. Shiotsu 603
- A high capacity completely closed-cycle 250 mK ³He refrigeration system based on a pulse tube cooler
M.J. Devlin, S.R. Dicker, J. Klein and M.P. Supanich 611
- Compact stranded superconducting conductors with both low ac loss and high stability. I. Proposal of a new design
A. Kawagoe, F. Sumiyoshi, T. Mito, T. Kawashima and N. Hirano 617
- Compact stranded superconducting conductors with both low ac loss and high stability II. Experiment to confirm fundamental performance
A. Kawagoe, F. Sumiyoshi, T. Mito and T. Kawashima 623
- A review of experimental methods for solid solubility determination in cryogenic systems

- V. De Stefani, A. Baba-Ahmed and D. Richon* 631
- Geysing inhibiting research for single feeding-line in cryogenic propellant transfer system
L. Zhang, W.S. Lin, X.S. Lu and A.Z. Gu 643
- Review**
- Numerical method of inertance tube pulse tube refrigerator
S. Zhu and Y. Matsubara 649
- Cryofreezing and cryofreezer
R.M. Khadatkar, S. Kumar and S.C. Pattanayak 661
- Calendar 679
- Number 10/October**
- Influence of filament thickness, thermal process and magnetic field on misalignment angles in multifilament Bi2212 tapes
D. Bourgault, E. Flahaut, A. Antonevici, R. Tournier, J.L. Soubeyroux, N. Lallouet and C.E. Bruzek 681
- Thermal stability of reinforced Nb₃Sn composite superconductor under cryocooled conditions
T. Yamamoto, K. Watanabe, S. Murase, G. Nishijima, K. Watanabe and A. Kimura 687
- High- T_c dc-SQUID magnetometer and its application in eddy current non-destructive evaluation
H.H. Qi, P.L. Lang, M.J. Zhang, T.S. Wang, D.N. Zheng and Y.J. Tian 695
- Analysis of temperature and pressure changes in liquefied natural gas (LNG) cryogenic tanks
Q.-S. Chen, J. Wegrzyn and V. Prasad 701
- Analysis of magnetization, AC loss, and d_{eff} for various internal-Sn based Nb₃Sn multifilamentary strands with and without sub-element splitting
M.D. Sumption, X. Peng, E. Lee, X. Wu and E.W. Collings 711
- Thermal contact conductance of pressed contacts at low temperatures
S. Sunil Kumar and K. Ramamurthi 727
- Operation of the TVO temperature sensors in the range from 4.2 K up to 425 K
Y.P. Filippov and T.I. Smirnova 735
- The mixing effects for real gases and their mixtures
M.Q. Gong, E.C. Luo and J.F. Wu 741
- Quench developing process of HTS tape in sinusoidal overcurrents with different amplitudes
Y. Xiaoyan, T. Yuejin, L. Jingdong, Z. Saijun and P. Yuan 755
- Calendar 761
- Number 11/November**
- Experimental evidence of considerable stability increase in superconducting windings with extremely high specific heat substances
P.A. Alekseev, A.I. Boev, V.E. Keilin, I.A. Kovalev, S.L. Kruglov, V.N. Lazukov and I.P. Sadikov 763
- Elastic stiffness model for the critical temperature T_c of Nb₃Sn including strain dependence
W.D. Markiewicz 767
- Design of cryogenic 700 MHz amplifier
L. Roschier and P. Hakonen 783
- Small punch testing for determining the cryogenic fracture properties of 304 and 316 austenitic stainless steels in a high magnetic field
Y. Shindo, Y. Yamaguchi and K. Horiguchi 789
- New rotary valves for pulse-tube refrigerators
M.E. Will, I.A. Tanaeva, R. Li and A.T.A.M. de Waele 793
- Theoretical study on a Miniature Joule-Thomson & Bernoulli Cryocooler
L.Y. Xiong, G. Kaiser and A. Binneberg 801
- A ³He pulse tube cooler operating down to 1.3 K
N. Jiang, U. Lindemann, F. Giebeler and G. Thummes 809
- Advanced TFA-MOD process of high critical current YBCO films for coated conductors
Y. Tokunaga, T. Honjo, T. Izumi, Y. Shiohara, Y. Iijima, T. Saitoh, T. Goto, A. Yoshinaka and A. Yajima 817
- Study of flow distribution and its improvement on the header of plate-fin heat exchanger
J. Wen and Y. Li 823
- Refrigeration performance enhancement of pulse tube refrigerators with He-H₂ mixtures and Er₃NiH_x regenerative material
G.B. Chen, K. Tang, Y.H. Huang, Z.H. Gan and R. Bao 833
- Design and performance of compensator for decremental persistent current in HTS magnets using linear type magnetic flux pump
Y.D. Chung, I. Muta, T. Hoshino, T. Nakamura and M.H. Shon 839
- Calendar 845
- Number 12/December**
- Performances of the mixed-gases Joule-Thomson refrigeration cycles for cooling fixed-temperature heat loads
M.Q. Gong, J.F. Wu and E.G. Luo 847
- Heat transfer characteristics of cryogenic helium gas through a miniature tube with a large temperature difference
A. Jiao, S. Jeong and H.B. Ma 859
- Numerical simulation for the Piston effect and thermal diffusion observed in supercritical nitrogen
A. Nakano and M. Shiraishi 867
- Measurement of the thermal conductivity of copper samples between 30 and 150 mK
L. Risehari, M. Barucci, E. Olivieri, E. Pasca and G. Ventura 875
- Cryogenic system of the MAX-Wiggler
E. Wallén and G. LeBlanc 879
- Invariant formulation of the strain dependence of the critical temperature T_c of Nb₃Sn in a three term approximation
W. Denis Markiewicz 895
- Calendar 909
- Index to Volume 44 I

